



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/540,620	06/24/2005	Tivadar Foldi	P01231	7193
40401	7590	06/19/2006		
			EXAMINER	
			CHIESA, RICHARD L	
			ART UNIT	PAPER NUMBER
			1724	

DATE MAILED: 06/19/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

8

Office Action Summary	Application No.	Applicant(s)	
	10/540,620	FOLDI, TIVADAR	
	Examiner	Art Unit	
	Richard L. Chiesa	1724	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 10 February 2006.
- 2a) This action is **FINAL**. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 17-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) 17-36 is/are allowed.
- 6) Claim(s) _____ is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 10 February 2006 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
 Paper No(s)/Mail Date February 10, 2006.
- 4) Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____.
- 5) Notice of Informal Patent Application (PTO-152)
- 6) Other: _____.

DETAILED ACTION

Response to Amendment

1. The preliminary amendment and substitute specification filed on February 10, 2006 have been entered.

Priority

2. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

3. The drawings filed on February 10, 2006 are objected to because many of the reference numerals in Figure 3 are crossed out and there are apparently many lead lines without reference numerals. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an

application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

4. The abstract of the disclosure is objected to for the following reasons: (A) The legal expressions "comprising" (line 2) and "means" (last line) are improper. This can be corrected by changing "comprising" to --including-- and changing "filter insert means" to --a filter insert--. (B) The semi-colon on line 6 should apparently be deleted. Correction is required. See MPEP § 608.01(b).

5. The disclosure is objected to because of the following informalities: (A) The sentence -- This application is a national stage of International Application No. PCT/HU03/00109 filed on December 23, 2003-- should be inserted at the beginning of the specification. (B) The word --a-- should apparently be inserted between "with" and "screen" (page 4, paragraph [0014], line 4) and between "with" and "filter" (page 4, paragraph [0014], line 6). (C) The word "perforations" (page 9, paragraph [0026], line 2) should apparently be changed to --Perforations--. Appropriate correction is required.

Allowable Subject Matter

6. Claims 17-36 are allowed.

7. As allowable subject matter has been indicated, applicant's reply must either comply with all formal requirements or specifically traverse each requirement not complied with. See 37 CFR 1.111(b) and MPEP § 707.07(a).

8. The following is a statement of reasons for the indication of allowable subject matter: The prior art fails to teach or fairly suggest the recited device with the recited axially symmetric housing, insulating disc, perforated insulating front surface, supporting tubes having curved surfaces, electrode system with electrode wire, low air resistance screen, and filter medium insert in the recited positioning and operative relationship.

Conclusion

9. The prior art made of record is considered pertinent to applicant's disclosure. These references have been cited as art of interest to show other electric air cleaning devices.

10. This application is in condition for allowance except for the following formal matters:
The drawings, abstract and specification must be corrected as explained above in paragraphs 3-5 respectively.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard L. Chiesa whose telephone number is (571) 272-1154.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane S. Smith, can be reached at (571) 272-1166.

Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 1700 receptionist whose telephone number is (571) 272-1700.

Facsimile correspondence must be transmitted through (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Richard L. Chiesa
June 8, 2006

Richard L. Chiesa

**RICHARD L. CHIESA
PRIMARY EXAMINER
ART UNIT 1724**

June 8, 2006